SIGN STANDARDS MANUAL

Version 1.0 **|** Issued 10.13.20

**BROWARD℠
COLLEGE**

TABLE OF CONTENTS

GENERAL INFORMATION

INTERIOR

EXTERIOR

INTRODUCTION

This Interior Sign Standards Manual has been created to serve as a reference and planning tool for facility personnel to help sign new buildings and renovate existing buildings.

The signs, which appear inside of Broward College buildings, provide the information necessary to guide visitors and employees to their desired destinations as well as provide life safety information. A flexible sign system has been designed by Takeform, an environmental graphic/signage consulting firm located in Medina, NY, to include a family of required Exterior and Interior Signs.

TYPOGRAPHY

Visual vehicle of communication.

Rr
PMS 294M
Copy Color

Rr
White
Copy Color

Rr
PMS 485C
Copy Color

U.S. 101 (ADA)

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890

Palatino Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890

Palatino Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
**1234567890**

ELEMENTS OF DESIGN

What gives your project its character.

Direct Print
Background Artwork

PMS 294M, 100% Cyan
Accent Artwork

CO104 White
Bezel Finish

PMS 294M Paper
White Copy

White Paper
PMS 294M Copy

White Paper
PMS 294M, 485C Copy

PMS 294M
White ACM

White
PMS 294M ACM

PMS 294M
.375" Painted Acrylic

Natural
Metal Accent

CO601 Satin Silver
Applique

TYPE A.1

Name
Title

Name

Font: Palatino Bold and Palatino Regular
Insert Size: 5.59"w x 2.15"h
Name Font Size: 28 pt (.27")
Title Font Size: 20 pt (.19")

TYPE A.5

Name
Title

Name

Font: Palatino Bold and Palatino Regular
Insert Size: 5.59"w x 2.15"h
Name Font Size: 28 pt (.27")
Title Font Size: 20 pt (.19")

TYPE G.1

name
name

Font: Palatino Regular
Insert Size: 5.0"w x 2.39"h
Name Font Size: 40 pt (.4")

INSERT COLORS

PMS 294

R 255
G 255
**B** 255

R 84
G 125
B 187

**R** 33
G 32
B 32

INTERIOR SIGNAGE

TYPE A.1
106B
OFFICE

David Richmond
Athletic Director

TYPE A.2A
12-2346
CONFERENCE
ROOM

VACANT

TYPE A.4
02-105

Gene Wardell   301
Garth Padgham   302
Art Guerra   303
Isa Peat   304
Celeste Monroe   400
Mary Morris   401
Lila Wyllys   402
Janel Hall   403
Mary Malcott   404
Garth Padgham   405

TYPE D.1
12-2346
WOMEN

TYPE D.3
10-117
FAMILY
RESTROOM

TYPE G.1
12-2346   timothy peterson

TYPE NH.1
Hours of Operation
7:30 AM – 9:30 PM

Daily Use Lockers Instructions
Gaining Access:
Step 1: Close door and turn handle to the
         locked position
Step 2: Choose and enter a 4-digit code
Step 3: Reenter your 4-digit code and check
         to ensure locker is locked
Step 4: Write or save your 4-digit code

To Unlock and Retrieve Your Belongings:
Enter your 4-digit code and turn handle to
open position, "Lock automatically clears
for the next use."

TYPE NH.2
Hours of Operation
7:30 AM – 9:30 PM

Daily Use Lockers Instructions
Gaining Access:
Step 1: Close door and turn handle to the
         locked position
Step 2: Choose and enter a 4-digit code
Step 3: Reenter your 4-digit code and check
         to ensure locker is locked
Step 4: Write or save your 4-digit code

To Unlock and Retrieve Your Belongings:
Enter your 4-digit code and turn handle to
open position, "Lock automatically clears
for the next use."

TYPE A.2
12-2346
CONFERENCE
ROOM

TYPE A.3
12-2346
ELECTRICAL

NO STORAGE

TYPE A.5
David Richmond
Athletic Director

TYPE D.2
12-2346
RESTROOM

TYPE D.5
10-117
WOMENS
LOCKER ROOM

TYPE G.2
12-2346   CONFERENCE

TYPE G.WB

TYPE NH.1A
Lockers are daily
use only and will be
emptied at the end of
each day.

Belongings left
inside lockers will be
collected by campus
safety and placed in
the lost and found.

TYPE S.1
12-2346
STAIR

ADA COMPLIANT ROOM SIGNAGE
All signage not to Scale.

TYPE S.2
STAIR 7
FLOOR 1 THRU 3

1

FLOOR
ROOF ACCESS

↓ DOWN TO FLOOR 1
  FOR EXIT DISCHARGE


TYPE S.3
AREA OF REFUGE

TYPE S.4
1★

HAZARD, WARNING & SAFETY SIGNAGE
All signage not to Scale.

TYPE C.1

TYPE C.2

TYPE C.3

# EVACUATION MAPS

All signage not to Scale.

TYPE D.4

REGISTRATION
TYPE WF.1

CONFERENCE ROOM
TYPE WF.2

DIRECTORY

Ground Floor
    Shipping/Receiving
Floor 1
    Main Lobby
    Accounting
Floor 2
    Human Resources
    Offices 200–225
Floor 3
    Administration Office
    Offices 300–320
    Staff Lounge

TYPE WF.3

2
← Restrooms
Elevators
Stairs
→ Reception Desk
Administrative
Offices
Parking Garage

TYPE WF.4

→
**THEATER
DEPARTMENT**

TYPE WF.5

**THEATER
DEPARTMENT**

TYPE WF.6

THEATER DEPARTMENT

TYPE WF.X

WAYFINDING | MAPS, DIRECTIONALS, FLAGS & CEILING MOUNT

All signage not to Scale.

ARTWORK TO BE DESIGNED BY BROWARD COLLEGE
ON PROJECT-BY-PROJECT BASIS

VINYL GRAPHICS & DECALS

All signage not to Scale.

ARTWORK TO BE DESIGNED BY BROWARD COLLEGE
ON PROJECT-BY-PROJECT BASIS

WALL WRAPS, WALL MATERIALS & WINDOW FILM

All signage not to Scale.

ARTWORK TO BE DESIGNED BY BROWARD COLLEGE
ON PROJECT-BY-PROJECT BASIS

FLOOR DECALS

All signage not to Scale.

TYPE A.1

VV1AW-01201207-R11C01

106B
OFFICE

David Richmond
Athletic Director

Insert Window

Overall Size: 6.0"w X 6.0"h
Insert Size: 5.59"w X 2.15"h

Scale: 1:2

Use and Application
Identification of offices.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Insert
(D) Media: White Paper;
Font: Palatino Bold, Regular;
Copy Color: White;
BG: To match PMS 294M
Logo: Use per RND

TYPE A.2

VV1AW-012012

12-2346
CONFERENCE ROOM

Overall Size: 6.0"w X 6.0"h

Scale: 1:2

Use and Application
Any room that has permanent use.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

TYPE A.2A

V1AJ03

12-2346

CONFERENCE ROOM

VACANT

Overall Size: 6.0"w X 7.0"h

Scale: 1:2

Use and Application
Identification of conference rooms.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

TYPE A.3

VV1AW-017011

12-2346

ELECTRICAL

NO STORAGE

Overall Size: 8.5"w X 5.5"h

Scale: 1:2

Use and Application
Back of house (maintenance, electrical, etc.)

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D) To match PMS 294M
Font: U.S. 101 (ADA)

TYPE A.4

VV1AW-01301806-R12K01

TYPE A.5

VV1AW-01300501-T11C01

02-105

Gene Wardell	301
Garth Padgham	302
Art Guerra	303
Ina Post	304
Celeste Monroe	400
Mary Morris	401
Lila Wyllys	402
Janet Haff	403
Mary Malcuit	404
Garth Padgham	405

Insert Window

Overall Size: 6.5"w X 9.0"h
Insert Size: 5.59"w X 4.65"h

Scale: 1:2

Insert Window

David Richmond
Athletic Director

Overall Size: 6.5"w X 2.5"h
Insert Size: 5.59"w X 2.15"h

Scale: 1:2

Use and Application
Identification of XXXXXXXXX.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Insert
(D) Media: White Paper;
Font: Palatino Regular;
Copy Color: White;
BG: To match PMS 294M
Logo: Use per RND

Use and Application
Identification of XXXXXXXXX.

Direct Print Background
(A) Use per RND

Insert
(B) Media: White Paper;
Font: Palatino Bold, Regular;
Copy Color: White;
BG: To match PMS 294M
Logo: Use per RND

TYPE D.1

V1AE04

12-2346
WOMEN

Overall Size: 6.5"w X 9.0"h

Scale: 1:2

Use and Application

Identification of restrooms.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M, 100% Cyan

Raised Copy

(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy

(D) White
Font: U.S. 101 (ADA)

TYPE D.2

V1AE04

12-2346
RESTROOM

Overall Size: 6.5"w X 9.0"h

Scale: 1:2

Use and Application

Identification of restrooms.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M, 100% Cyan

Raised Copy

(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy

(D) White
Font: U.S. 101 (ADA)

TYPE D.3

VV1AW-013020

10-117
FAMILY
RESTROOM

Overall Size: 6.5"w X 10.0"h

Scale: 1:2

Use and Application
Identification of restrooms.

Direct Print Background
(A)   Use per RND

Direct Print Graphic
(B)   To match PMS 294M, 100% Cyan

Raised Copy
(C)   Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D)   White
Font: U.S. 101 (ADA)

TYPE D.5

VV1AW-013020

10-117
WOMENS
LOCKER ROOM

Overall Size: 6.5"w X 10.0"h

Scale: 1:2

Use and Application
Identification of restrooms.

Direct Print Background
(A)   Use per RND

Direct Print Graphic
(B)   To match PMS 294M, 100% Cyan

Raised Copy
(C)   Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D)   White
Font: U.S. 101 (ADA)

TYPE G.1

Lucid

Insert

12-2346

timothy
peterson

Overall Size: 9.0"w X 2.67"h
Insert Size: 5.0"w X 2.25"h

Scale: 1:2

Use and Application

Identification of rooms.

Lens

(A) ¼" Non Glare Acrylic

Raised Copy

(B) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Insert

(C) Media: Clear;
Font: Palatino Regular;
Graphics/Copy Color: To match PMS 294M

Direct Print Graphic

(D) To match PMS 294M,
100% Cyan

TYPE G.2

Lucid

Insert

12-2346   **CONFERENCE**

Overall Size: 9.0"w X 2.67"h
Insert Size: 5.0"w X 2.25"h

Scale: 1:2

Use and Application

Any glass front room that has permanent use.

Lens

(A) ¼" Non Glare Acrylic

Raised Copy

(B) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Insert

(C) Media: Clear;
Font: Palatino Regular;
Graphics/Copy Color: To match PMS 294M

Direct Print Graphic

(D) To match PMS 294M,
100% Cyan

TYPE G.WB

Lucid Window Backer

**Overall Size:** 5.0"w X 2.67"h

Scale: 1:2

Use and Application

Covers the back of Lucid signs when mounted on glass.

Appliqué

(A) Thickness: .03"
Finish: **CO601** Satin Silver
Mounting: Tape Flush

TYPE NH.1

MN8.5X11

Hours of Operation
7:30 AM – 9:30 PM

Daily Use Lockers Instructions
Gaining Access:
Step 1: Close door and turn handle to the locked position

Step 2: Choose and enter a 4-digit code

Step 3: Reenter your 4-digit code and check to ensure locker is locked

Step 4: Write or save your 4-digit code

To Unlock and Retrieve Your Belongings:
Enter your 4-digit code and turn handle to open position, "Lock automatically clears for the next use."

End View

Overall Size: 8.5"w X 11.9"h
Insert Size: 8.5"w X 11.0"h

Scale: 3" = 1'

## Use and Application

Notice holder with insert.

Bezel Finish

(A) **CO104** White

Insert

(B) Media: White Paper;
Font: Palatino Regular;
Copy Color: To match PMS 294M

TYPE NH.1A

CS8.5X11-T

Lockers are daily use only and will be emptied at the end of each day.

Belongings left inside lockers will be collected by campus safety and placed in the lost and found.

Overall Size: 8.5"w X 11.0"h

Scale: 3" = 1'

Use and Application

Permanent notice.

ACM

(A) Use artwork per RND,
White, To match PMS 294M, 100% Cyan;
Font: U.S. 101 (ADA)

TYPE NH.2

MN11X17

Hours of Operation
7:30 AM – 9:30 PM

Daily Use Lockers Instructions
Gaining Access:
Step 1: Close door and turn handle to the locked position
Step 2: Choose and enter a 4-digit code
Step 3: Reenter your 4-digit code and check to ensure locker is locked
Step 4: Write or save your 4-digit code

To Unlock and Retrieve Your Belongings:
Enter your 4-digit code and turn handle to open position, "Lock automatically clears for the next use."

Overall Size: 11.0"w X 17.9"h
Insert Size: 11.0"w X 17.0"h

Scale: 3" = 1'

End View

Use and Application

Notice holder with insert.

Bezel Finish

(A) **CO104** White

Insert

(B) Media: White Paper;
Font: Palatino Regular;
Copy Color: To match PMS 294M

TYPE S.1

V1AE04

12-2346

STAIR

Overall Size: 6.5"w X 9.0"h

Scale: 1:2

Use and Application

Identification of stairs.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M, 100% Cyan

Raised Copy

(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy

(D) White
Font: U.S. 101 (ADA)

TYPE S.2

CS16,3X18-T

STAIR 7

FLOOR 1 THRU 3

1

FLOOR
ROOF ACCESS

↓ DOWN TO FLOOR 1
FOR EXIT DISCHARGE

Overall Size: 16.3"w X 18.0"h

Scale: 3" = 1'

Use and Application
Fire safety signage.

ACM
(A) Use artwork per RND,
White, To match PMS 294M;
Font: U.S. 101 (ADA)

TYPE S.3

CS8,5X9,5-T

AREA OF REFUGE

Overall Size: 8.5"w X 9.5"h

Scale: 3" = 1'

Use and Application
Fire safety signage.

ACM
(A) Use artwork per RND,
White, To match PMS 294M;
Font: U.S. 101 (ADA)

TYPE S.4

V1AH11

Overall Size: 5.0"w X 5.0"h

Scale: 1:2

Use and Application

Stairwell safety signage.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M, 100% Cyan

Raised Copy

(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

TYPE C.1

Custom

EVACUATION MAP

Building #68 Room #246

Overall Size: 11.5"w X 11.0"h
Insert Size: 11.0"w X 8.5"h

Scale: 3" = 1'

Insert Window

Use and Application

Designate evacuation routes.

Direct Print Background

A — Use per RND

Direct Print Copy

C — To match PMS 485C
Font: U.S. 101 (ADA)

Direct Print Copy

B — To match PMS 294M
Font: U.S. 101 (ADA)

Evac Insert

D — Media: White Paper;
Font: U.S. 101 (ADA);
Copy Color: To match PMS 294M, 485C

TYPE C.2

Custom

EVACUATION MAP

Building #68 Room #246

Overall Size: 17.5"w X 15.0"h
Insert Size: 17.5"w X 11.0"h

Scale: 3" = 1'

Insert Window

Use and Application

Designate evacuation routes.

Direct Print Background

A — Use per RND

Direct Print Copy

C — To match PMS 485C
Font: U.S. 101 (ADA)

Direct Print Copy

B — To match PMS 294M
Font: U.S. 101 (ADA)

Evac Insert

D — Media: White Paper;
Font: U.S. 101 (ADA);
Copy Color: To match PMS 294M, 485C

TYPE C.3

Custom

3

EMERGENCY EXIT PLAN

130 W. EXCHANGE ST., LIBERTY, OH 45014   FLOOR 1

⚠ YOU ARE HERE	✉ ELEVATOR	⟶ EVACUATION ROUTE
RESTROOM	⚠ FIRE ALARM	
STAIRWELL	⚠ FIRE EXTINGUISHER	

IN CASE OF EMERGENCY DIAL 911
ALARM SOUNDS LIKE: "RING"
ALARM LOOKS LIKE: "FLASHING STROBE"

**IN CASE OF FIRE,
USE STAIR FOR EXIT.
DO NOT USE ELEVATOR.**

Overall Size: 12.0"w X 22.5"h
Insert Size: 11.0"w X 17.0"h

Scale: 3" = 1'

Use and Application

Designate evacuation routes.

Direct Print Background

(A) Use per RND

Direct Print Copy

(B) To match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Graphic

(B) To match PMS 294M,
100% Cyan

Evac Insert

(D) Media: White Paper;
Font: U.S. 101 (ADA);
Copy Color: To match PMS 294M, 485C

TYPE D.4

V1AM05

Overall Size: 10.0"w X 10.0"h

Scale: 3" = 1'

Use and Application

Identification of restrooms.

Direct Print Background

(A)   Use per RND

Direct Print Graphic

(B)   To match PMS 294M, 100% Cyan

Direct Print Copy

(C)   To match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy

(D)   White
Font: U.S. 101 (ADA)

TYPE WF.1

VV1AW-170030

Overall Size: 85.0"w X 15.0"h

Scale: 1" = 1'

Use and Application

Wayfinding destination points.

Direct Print Background

(A)   Use per RND

Direct Print Graphic

(B)   To match PMS 294M, 100% Cyan

Direct Print Copy

(C)   To match PMS 294M
Font: U.S. 101 (ADA)

TYPE WF.2

V1AC01

CEILING

CONFERENCE ROOM

Overall Size: 44.0"w X 7.0"h

Scale: 1 ½" = 1'

Use and Application
Wayfinding destination points.

Direct Print Background

(A) Use per RND

Direct Print Copy

(C) To match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Graphic

(B) To match PMS 294M,
100% Cyan

TYPE WF.3

V1AA05

DIRECTORY

Ground Floor
  Shipping/Receiving
Floor 1
  Main Lobby
  Accounting
Floor 2
  Human Resources
  Offices 200–225
Floor 3
  Administration Office
  Offices 300–320
  Staff Lounge

Insert
Window

Overall Size: 23.0"w X 42.0"h
Insert Size: 22.09"w X 33.65"h

Scale: 1 ½" = 1'

Use and Application
Wayfinding directory.

**Direct Print Background**

(A) Use per RND

Direct Print Copy

(C) To match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Graphic

(B) To match PMS 294M,
100% Cyan

Insert

(D) Media: White Paper;
Font: Palatino Regular;
Copy Color: White;
BG: To match PMS 294M
Logo: Use per RND

TYPE WF.4

Custom Vivid

2

←

Restrooms
Elevators
Stairs

→

Reception Desk
Administrative
Offices
Parking Garage

Insert
Window

Overall Size: 23.0"w X 42.0"h
Insert Size: 22.09"w X 33.65"h

Scale: 1 ½" = 1'

Use and Application

Wayfinding directional.

Direct Print Background

(A)   Use per RND

Direct Print Copy

(C)   To match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Graphic

(B)   To match PMS 294M,
100% Cyan

Insert

(D)   Media: White Paper;
Font: Palatino Regular;
Copy Color: White;
BG: To match PMS 294M
Logo: Use per RND

TYPE WF.5

VV1AW-034024

→

WALL

THEATER DEPARTMENT

Overall Size: 17.0"w X 12.0"h

Scale: 3" = 1'

Use and Application

Flag mounted wayfinding directional.

Direct Print Background

(A)   Use per RND

Direct Print Copy

(C)   To match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Graphic

(B)   To match PMS 294M,
100% Cyan

TYPE WF.6

VV1AF-034034

Overall Size: 17.0"w X 17.0"h

Scale: 3" = 1'

Use and Application

Flag mounted wayfinding destination points.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M,
100% Cyan

Direct Print Copy

(C) To match PMS 294M
Font: U.S. 101 (ADA)

TYPE WF.X

Custom | Backer: VV1AW-088014

Overall Size: 44.0"w X 7.0"h
Lens Size: 37.0"w X 5.5"h

Scale: 1 ½" = 1'

Use and Application

Interchangeable wayfinding destination points.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M,
100% Cyan

Direct Print Copy

(C) To match PMS 294M
Font: U.S. 101 (ADA)

Lens

(D) .125" Non-Glare Acrylic

Metal Accent

(E) Natural, .625" dia. caps;
w/.25" Stand-offs

EXTERIOR SIGNAGE

BROWARD COLLEGE

NORTH CAMPUS — 1000

TYPE E.1

MONUMENT | SITE ID

All signage not to Scale.

BROWARD COLLEGE

CAMPUS MAP

TYPE E.2

MONUMENT | CAMPUS MAP

All signage not to Scale.

TYPE E.3

TYPE E.5

MONUMENT | DIRECTIONAL & IDENTIFICATION

All signage not to Scale.

TYPE E.4

MONUMENT | SITE ENTRANCE DIRECTIONAL

All signage not to Scale.

TYPE E.6

TYPE E.6.1

WALL MOUNTED | DIRECTIONAL & IDENTIFICATION

All signage not to Scale.

ADMISSIONS

TYPE E.7

WALL MOUNTED | BUILDING IDENTIFICATION

All signage not to Scale.

12-2346
ELECTRICAL

NO STORAGE

TYPE E.11

12-2346
RESTROOM

TYPE D.2x

10-117
WOMENS
LOCKER ROOM

TYPE D.5x

STAIR 7

FLOOR 1 THRU 3

1

FLOOR
ROOF ACCESS

↓ **DOWN TO FLOOR 1**
FOR EXIT DISCHARGE

TYPE S.2x

AREA OF REFUGE

TYPE S.3x

12-2346
WOMEN

TYPE D.1x

10-117
FAMILY
RESTROOM

TYPE D.3x

12-2346
STAIR

TYPE S.1x

1★

TYPE S.4x

ADA COMPLIANT ROOM SIGNAGE

All signage not to Scale.

TYPE E.10
Option 1

TYPE E.10
Option 2

TYPE E.10
Option 3

BANNERS | REGULATORY & INFORMATIONAL

All signage not to Scale.

TYPE E.10
Option 1

TYPE E.10
Option 2

TYPE E.10
Option 3

BANNERS | EVENTS & INFORMATIONAL POSTS

All signage not to Scale.

TYPE E.6

Internally Illuminated Wall Cabinet
Mechanically Fasten to Building Fascia
Mounting Hardware to Suit Wall Construction

24.0"

A

36.0"

ADMISSIONS & REGISTRATION ↓

MAY-ANN LIBRARY ←

SHUTTLE SERVICE ←

B

Side A

8.0"

Mounting Surface

Profile

Use and Application

Pedestrian directional.

Front Panel

A — Painted, Routed .125 Aluminum
To match PMS Cool Gray 1 C / PMS 294 C / **CO601** Satin Silver

Illuminated Copy

B — 3/16" Translucent Acrylic Backer
Font: US 101 (ADA) & Regular
To match PMS 299 C / 7328 White

TYPE E.6.1

Wall Panel
Stand Off - 1/2"
Mounting Hardware to Suit Wall Construction

24.0"

A

↓ **ADMISSIONS & REGISTRATION**

B

← **MAY-ANN LIBRARY**

← **SHUTTLE SERVICE**

36.0"

Side A

Mounting Surface

0.50"

Profile

Use and Application

Pedestrian directional.

Front Panel

A   Painted .125 Aluminum
to match PMS Cool Gray 1 C / PMS 294 C / **CO601** Satin Silver

Copy

B   First Surface Applied Vinyl
Font: US 101 (ADA) & Regular
To match PMS 299 C / **220-10** White

TYPE E.7

Face Lit Channel Letters
LED Illumination
Mechanically Fasten to Building Fascia
Mounting Hardware to Suit Construction

TBD

(A) (B) **ADMISSIONS** TBD

Mounting Surface

(C)

Profile

Use and Application

Pedestrian directional.

Faces

(A) 3/16" Translucent Acrylic Faces w/
First Surface Translucent Vinyl
Font: Customer Supplied Artwork
3M Dual Color Film **3635-210** painted
to match PMS 294 C / 7328 White

Returns

(C) Painted 4" Deep .040 Aluminum Channel Coil
To match PMS 294 C

Trim Cap

(B) 1" Trim Cap
Black

TYPE E.8 ☀

Face Lit Channel Letters/Numbers
Solar Powered LED Illumination
Mechanically Fasten to Building Fascia
Mounting Hardware to Suit Construction

TBD

ADMISSIONS

TBD

Mounting Surface

Profile

TBD

TBD

60

Ⓐ

Ⓑ

4.00"   3.50"

Mounting Surface

Ⓒ   Ⓓ

Extruded Aluminum
Raceway

Profile

Face Lit Channel Letter - Typ.
NTS
Does not Reflect Actual Mounting Conditions
Site Survey Required

LED Lead Wire ("Whip")

4" Aluminum Return

1" Trim Cap

Pass Through Grommet

Power Supply

LED illumination

Use and Application

Pedestrian directional.

Faces

Ⓐ 3/16" Translucent Acrylic Faces w/ First Surface Translucent Vinyl
Font: Customer Supplied Artwork
3M Dual Color Film 3635-210 painted to match **PMS 294 C / 7328** White

Returns

Ⓓ Painted 4" Deep .040 Aluminum Channel Coil
to match **PMS 294 C**

Trim Cap

Ⓑ 1" Trim Cap
Black

TYPE E.10

Double Sided Banner
Mount to Existing Light Pole w/
Adjustable Banner Brackets and
Fiberglass Banner Arms (as required)

Option 1

Option 2

Option 3

welcome to
**BROWARD
COLLEGE**

WELCOME TO

**BROWARD
COLLEGE**

A B

1.375"

48.0"

3.0"

19.0"

C

Side A

Use and Application

College exterior branding.

Banner

A   Digital Print to 22oz Blackout Vinyl w/ Top and Bottom Pole Pockets and Grommets
CDD-22MB to match TBD

Mounting

B   KBW BannerFlex Metro Bracket
Black

TYPE E.11

VV1AW-017011

12-2346
ELECTRICAL

⠿⠿⠿⠿

NO STORAGE

Overall Size: 8.5"w X 5.5"h

Scale: 1:2

Use and Application
Identification of rooms.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D) To match PMS 294M
Font: U.S. 101 (ADA)

TYPE D.1x

V1AE04

12-2346
WOMEN

⠿⠿⠿⠿

Overall Size: 6.5"w X 9.0"h

Scale: 1:2

Use and Application
Identification of restrooms.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D) White
Font: U.S. 101 (ADA)

TYPE D.2x

V1AE04

12-2346
RESTROOM

Overall Size: 6.5"w X 9.0"h

Scale: 1:2

Use and Application

Identification of restrooms.

Direct Print Background
Ⓐ Use per RND

Direct Print Graphic
Ⓑ To match PMS 294M, 100% Cyan

Raised Copy
Ⓒ Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
Ⓓ White
Font: U.S. 101 (ADA)

TYPE D.3x

VV1AW-013020

10-117
FAMILY
RESTROOM

Overall Size: 6.5"w X 10.0"h

Scale: 1:2

Use and Application

Identification of restrooms.

Direct Print Background
Ⓐ Use per RND

Direct Print Graphic
Ⓑ To match PMS 294M, 100% Cyan

Raised Copy
Ⓒ Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
Ⓓ White
Font: U.S. 101 (ADA)

TYPE D.5x

VV1AW-013020

10-117
WOMENS
LOCKER ROOM

Overall Size: 6.5"w X 10.0"h

Scale: 1:2

Use and Application
Identification of restrooms.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D) White
Font: U.S. 101 (ADA)

TYPE S.1x

V1AE04

12-2346
STAIR

Overall Size: 6.5"w X 9.0"h

Scale: 1:2

Use and Application
Identification of stairs.

Direct Print Background
(A) Use per RND

Direct Print Graphic
(B) To match PMS 294M, 100% Cyan

Raised Copy
(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

Direct Print Copy
(D) White
Font: U.S. 101 (ADA)

TYPE S.2x

CS16,3X18-T

STAIR 7

FLOOR 1 THRU 3

1

FLOOR
ROOF ACCESS

↓ **DOWN TO FLOOR 1**
FOR EXIT DISCHARGE

Overall Size: 16.3"w X 18.0"h

Scale: 3" = 1'

Use and Application
Fire safety signage.

ACM

Ⓐ Use artwork per RND,
White, To match PMS 294M;
Font: U.S. 101 (ADA)

TYPE S.3x

CS8,5X9,5-T

AREA OF REFUGE

Overall Size: 8.5"w X 9.5"h

Scale: 3" = 1'

Use and Application
Fire safety signage.

ACM

Ⓐ Use artwork per RND,
White, To match PMS 294M;
Font: U.S. 101 (ADA)

TYPE S.4x

V1AH11

Overall Size: 5.0"w X 5.0"h

Scale: 1:2

Use and Application
Stairwell safety signage.

Direct Print Background

(A) Use per RND

Direct Print Graphic

(B) To match PMS 294M, 100% Cyan

Raised Copy

(C) Paint to match PMS 294M
Font: U.S. 101 (ADA)

TYPE E.1

Double Sided, Internally Illuminated Monument Cabinet
LED Illumination
Flange Mount to Concrete Base

Plan View

23.0"

96.0"

48.0"

BROWARD COLLEGE

NORTH CAMPUS — 1000

A
B
C
D

Side A

105.0"

4.00"

16.0"

36.0"

Profile Right

E

BROWARD COLLEGE

NORTH CAMPUS — 1000

Side B

F   G

Use and Application

Site identification.

Front Panel

A — Painted .125" Aluminum
To match PMS Cool Gray 1 C

Logo & Address Cabinet

B — Painted Routed 3" Deep Fabricated Aluminum
To match PMS 294 C

Illuminated Copy

C — Push Thru ¾" White Acrylic ½" Proud of Face
w/ First Surface Applied Translucent Vinyl
Font: Customer Supplied Logo / US 101 (ADA) & Regular
220-10 White

Break Line

D — First Surface Applied Vinyl
220-10 White

Accent Bar

E — Painted 1 ½" Aluminum
CO601 Satin Silver

Mounting Assembly

F — Painted Aluminum Flange w/ Concrete Anchors
To match PMS Cool Gray 1 C

Masonry

G — Poured Concrete - Pier Footer w/ Pad

TYPE E.2

Double Sided, Internally Illuminated Monument Cabinet
LED Illumination
Flange Mount to Concrete Base

54.0"

23.0"

Plan View

Labor Intensive
Foundation Required

40.0"

A

BROWARD COLLEGE

C

D

E

84.0"

CAMPUS MAP

Side A

16.0"

Profile

F G

37.0"

B

BROWARD COLLEGE

CAMPUS MAP

Side B

Use and Application

Campus map.

Front Panel

(A) Painted .125" Aluminum
To match PMS Cool Gray 1 C

Accent Bar

(B) Painted 1 ½" Aluminum
CO601 Satin Silver

Illuminated Copy

(C) 3/16" Translucent Acrylic Backer
Font: US 101 (ADA) & Regular
To match 7328 White

Map Cabinet

(D) Painted Routed 3" Deep Fabricated Aluminum
To match PMS 294 C

Illuminated Map Panel

(E) 3/16" Translucent Acrylic Backer
w/ First Surface Applied Digital Print
Graphic: TBD
To match 7328 White

Mounting Assembly

(F) Painted Aluminum Flange w/ Concrete Anchors
To match PMS Cool Gray 1 C

Masonry

(G) Poured Concrete - Pier Footer w/ Pad

TYPE E.3

Double Sided, Internally Illuminated Monument Cabinet
LED Illumination
Flange Mount to Concrete Base

Labor Intensive
Foundation Required

22.0"

Plan View

36.0"

A

ADMISSIONS &
REGISTRATION

C

D

60.0"

MAY-ANN LICUDINE
LIBRARY

SHUTTLE
SERVICE

Side A

42.0"

16.0"

52.00"

Profile

E   F

B

ADMISSIONS &
REGISTRATION

MAY-ANN LICUDINE
LIBRARY

SHUTTLE
SERVICE

Side B

Use and Application

Vehicle & pedestrian directional.

Front Panel

A — Painted .125" Aluminum
To match PMS Cool Gray 1 C

Accent Bar

B — Painted 1 ½" Aluminum
CO601 Satin Silver

Address Cabinet

C — Painted Routed 3" Deep Fabricated Aluminum
To match PMS 294 C

Illuminated Copy

D — 3/16" Translucent Acrylic Backer
Font: US 101 (ADA) & Regular
To match PMS 299 C / 7328 White

Mounting Assembly

E — Painted Aluminum Flange w/ Concrete Anchors
To match PMS Cool Gray 1 C

Masonry

F — Poured Concrete - Pier Footer w/ Pad

TYPE E.4

Double Sided, Internally Illuminated Monument Cabinet
LED Illumination
Flange Mount to Concrete Base

Labor Intensive
Foundation Required

22.0"

Plan View

48.0"

A

C

↑
ENTRANCES
MAIN ENTRANCE
NORTH CAMPUS
VISITOR CENTER
ADMISSIONS
↑
EXIT

D

72.0"

Side A

78.0"

16.0"

60.0"

Profile Right

E   F

B

↓
ENTRANCES
MAIN ENTRANCE
NORTH CAMPUS
VISITOR CENTER
ADMISSIONS
↓
EXIT

Side B

Use and Application

Vehicle directional.

Front Panel

A   Painted .125" Aluminum
To match PMS Cool Gray 1 C

Accent Bar

B   Painted 1 ½" Aluminum
CO601 Satin Silver

Address Cabinet

C   Painted Routed 3" Deep Fabricated Aluminum
To match PMS 294 C

Illuminated Copy

D   3/16" Translucent Acrylic Backer
Font: US 101 (ADA) & Regular
To match 7328 White

Mounting Assembly

E   Painted Aluminum Flange w/ Concrete Anchors
To match PMS Cool Gray 1 C

Masonry

F   Poured Concrete - Pier Footer w/ Pad

TYPE E.5

Graphic Pylon - Small
Double Sided, Internally Illuminated Monument Cabinet
LED Illumination
Flange Mount to Concrete Base

Labor Intensive
Foundation Required

17.0"
14.5"

2

(A)
(C)
(B)
(D)
(E)
BROWARD COLLEGE
(F)

82.0"

BUEHLER OBSERVATORY

(G)
6.0"
(H)

Side A

12.5"
4.5"

2

BROWARD COLLEGE

70.0"

BUEHLER OBSERVATORY

End View

2

BROWARD COLLEGE

BUEHLER OBSERVATORY

Side B

End View

Use and Application

Pedestrian marker.

Cabinet

(A) Painted, Fabricated Aluminum
To match PMS Cool Gray 1 C

Halo-Illuminated Pan

(B) Painted, Routed, Fabricated Aluminum w/
3/16" Clear Polycarbonate Lens
To match PMS 249 C

Dimensional Copy

(C) Painted, Flat Cut ½" Acrylic
Mechanically Fasten Flush to Face from Inside of Cabinet
Font: Helvetica Neue Lt STD - 75 Bold
To match PMS 249 C

Logo Copy

(D) First surface applied vinyl
220-10 White

Accent Bar

(E) Painted ½" Aluminum
CO601 Satin Silver

**Halo-Illuminated Copy**

(F) Push-thru ¾" Clear Acrylic ½" Proud of Pan Face w/
First Surface Applied Painted .063 Aluminum Faces and
Second Surface Applied White Diffuser Film
To match **CO104** White

Reveal

(G) Painted ½" Aluminum Plate
MP33260 Twilight Zone

Masonry

(H) Poured Concrete - Sonotube Pier Footer

LEGEND

🟢	BUILDING ID SIGN	🔵	VEHICULAR SIGN
🟠	PEDESTRIAN SIGN	🟣	GRAPHIC SIGN
🔴	STANDARD TRAFFIC SIGN		

PROJECT TOTALS

Signage Qty	
1	2
2	9
3	5
4	8
5	42
6.1	24
6.2	24
7	1
9	1

TYPICAL EXTERIOR TAKEOFF